

TRANSCRIPT PREPARED BY THE CLERK OF THE LEGISLATURE  
Transcriber's Office  
FLOOR DEBATE

February 1, 2005 LB 176

place, and perhaps getting a second one, so that there's one on each floor of the Capitol.

SENATOR BEUTLER: Senator, thank you. Let me switch to Senator Jensen. With regard...you heard, Senator, the questions I asked with regard to the types of...the possible types of machines out there. Let me ask you whether you think the word "automated" limits the nonliability in this bill to that kind of machine, and/or whether that description, "automated," is enough to ensure that we're dealing with the type of machine that we're all envisioning here?

SENATOR CUDABACK: Senator Jensen, would you yield?

SENATOR JENSEN: Yes, thank you. And, Senator Beutler, I do believe the word "automated" is enough information that we need to have. I think the whole thing is to get as many of these out as we can, and not to have people have fear of trying to use them. Like Senator Baker said, if they're not applied correctly, it just won't happen. You won't get the shock.

SENATOR BEUTLER: Okay.

SENATOR JENSEN: So I think, in that regard, I think the word "automated" is sufficient.

SENATOR BEUTLER: Okay. And then, so your intent with the bill would be, then, that if it were not an automated version that were the subject of the emergency treatment, or the vehicle of the emergency treatment, then it may be, under the common law, that liability would attach to the person who delivered the care. Would that be accurate?

SENATOR JENSEN: I think that's possible, yes.

SENATOR BEUTLER: Okay.

SENATOR CUDABACK: One minute.

SENATOR JENSEN: And like I said, I do intend to bring an amendment for Select File, and would be glad to run it by you